

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 5/22/2023 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : MANDARINA Y VAINILLA #EU45956F

UFI : 9J83-54RV-D00C-6CUT

Product code : EU45956F

Type of product : Perfumes, fragrances Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec · Industrial

For professional use only Use of the substance/mixture : Perfumes, fragrances : Odour agents

#### 1.2.2. Uses advised against

Function or use category

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE- 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com - www.frenchcolor.com

### 1.4. Emergency telephone number

**Emergency number** : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 H319 Serious eye damage/eye irritation, Category 2 Skin sensitisation, Category 1 H317 Aspiration hazard, Category 1 H304 Hazardous to the aquatic environment - Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

# 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS08

# Safety Data Sheet

Precautionary statements (CLP)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) : Danger

Contains : d-Limonene; Orange oil ; Citral; Linalool; Citronella oil Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P261 - Avoid breatning dustriume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	10 – 19.9996	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	6.9 – 13.7997	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	4.3 – 8.5998	Eye Irrit. 2, H319
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	3.4 – 6.8958	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	1.4 – 2.7999	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	1.3 – 2.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Aldehyde C-10	CAS-No.: 112-31-2 EC-No.: 203-957-4	0.5 – 1.0962	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Citronella oil	CAS-No.: 8000-29-1 EC-No.: 289-753-6;616-771-7	0.1 – 0.25	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.1 – 0.1	Acute Tox. 4 (Oral), H302

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest. First-aid measures after skin contact If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Obtain emergency medical attention. Do not induce vomiting. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation. Symptoms/effects after ingestion : Risk of lung oedema.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5/22/2023 (Issue date) EN (English) 3/17

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

Exposure controls and personal protection. For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Provide good ventilation in process area to

prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective

equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Store locked up. Store in a well-ventilated place.

Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal

### 7.3. Specific end use(s)

No additional information available

5/22/2023 (Issue date) EN (English) 4/17

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Bulgaria - Occupational Exposure Limits  OEL TWA  S mg/m²  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA)  40 mg/m²  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1]  45 mg/m²  HTP (OEL TWA) [2]  10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [7]  22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2]  S ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2]  S pm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2]  S pm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [5 mg/m²  Latria - Occupational Exposure Limits  PEPV (OEL TWA)  S mg/m²  Silvenical category  Sikin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  22 mg/m²  OEL TWA  OEL TWA  22 mg/m²  OEL TWA [2]  OEL STEL  44 mg/m²  OEL STEL  44 mg/m²  OEL STEL  A4 mg/m²  AVE (OEL TWA) [1]  AVE (OEL TWA) [2]  S ppm (aerosol, vapour)  MAK (OEL TWA) [2]  S ppm (aerosol, vapour)  MAK (OEL TWA) [2]  S ppm (aerosol, vapour)  MAK (OEL TWA) [2]  S ppm (aerosol, vapour)  ACLIFICIATIONAL [2]  ALTO Mg/m²  HTP (OEL TWA) [2]  ALTO Mg/m²  ALTO Mg/m²  HTP (OEL TWA) [2]  ALTO Mg/m²  ALTO Mg/m²  HTP (OEL TWA) [2]  ALTO Mg/m²  ALTO	8.1.1 National occupational exposure and biological limit values			
OEL TWA 5 mg/m²  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA) 40 mg/m²  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 45 mg/m²  HTP (OEL TWA) [2] 10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 mg/m²  Chemical category Skin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m²  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m²  OEL Occupational Exposure Limits  NOS (OEL TWA) 400 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m²  OEL TWA 22 mg/m²  OEL TWA 44 mg/m²  OEL STEL 44 mg/m²  OEL STEL 44 mg/m²  OEL STEL 50 ppm (10 ppm 10 ppm	Benzyl alcohol (100-51-6)			
Czech Republic - Occupational Exposure Limits PEL (OEL TWA)	Bulgaria - Occupational Exposure Limits			
FEI (OEL TWA) 40 mg/m²  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 45 mg/m²  HTP (OEL TWA) [2] 10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m²  OEL OEL TWA 5 mg/m²  OEL chemical category Skin notation  DEL TWA) 5 mg/m²  Slovenia - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m²  OEL TWA 22 mg/m²  OEL TWA 9 ppm	OEL TWA	5 mg/m³		
Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 45 mg/m²  HTP (OEL TWA) [2] 10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m²  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m²  OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m²  Stovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³  OEL TWA 22 mg/m³  OEL STEL 44 mg/m³  OEL STEL 44 mg/m³  OEL STEL [ppm] 10 ppm  OEL STEL [ppm] 10 ppm  OEL Chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m² (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL Chemical category Skin notation  d-Limonene (5899-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 140 mg/m²  HTP (OEL TWA) [2] 25 ppm	Czech Republic - Occupational Exposure Limits			
HTP (OEL TWA) [1] 45 mg/m³ HTP (OEL TWA) [2] 10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  OEL TWA 5 mg/m³  OEL chemical category Skin notation  PPV (OEL TWA) 5 mg/m³  OEL chemical category Skin notation  POL TWA 240 mg/m²  Stovenia - Occupational Exposure Limits  NDS (OEL TWA) 220 mg/m³  OEL TWA 10 mg/m²  OEL STEL 44 mg/m²  OEL STEL 44 mg/m²  OEL STEL 5 mg/m² (aerosol, vapour)  OEL Chemical category Potential for cutaneous absorption  Switzerfand - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m² (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  d-Limonene (5889-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [3] 140 mg/m²  HTP (OEL TWA) [4] 140 mg/m²  HTP (OEL TWA) [4] 150 ppm	PEL (OEL TWA)	40 mg/m³		
HTP (OEL TWA) [2] 10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPPV (OEL TWA) 5 mg/m³  OEL CHWA 5 mg/m³  OEL CHWA 92 mg/m³  Slovenia - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³  OEL TWA 22 mg/m³  OEL TWA (ppm) 5 ppm  OEL STEL 44 mg/m³  OEL STEL (ppm) 10 ppm  OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation	Finland - Occupational Exposure Limits			
Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  OEL TWA 5 mg/m³  OEL TWA 240 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³  OEL TWA 22 mg/m³  OEL TWA 12 mg/m³  OEL TWA 10 ppm 15 ppm  OEL STEL 14 mg/m³  OEL STEL 14 mg/m³  OEL STEL 15 ppm 10 ppm  OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MKK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MKK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation	HTP (OEL TWA) [1]	45 mg/m³		
AGW (OEL TWA) [1] 22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m²  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³  OEL TWA 22 mg/m³  OEL TWA 5 ppm  OEL TWA 9 ppm  OEL TWA 9 ppm  OEL STEL 44 mg/m³  OEL STEL 44 mg/m³  OEL STEL [ppm] 10 ppm  OEL ohemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 140 mg/m³  HTP (OEL TWA) [2] 25 ppm  HTP (OEL TWA) [2] 25 ppm  HTP (OEL TWA) [2] 25 ppm  HTP (OEL TWA) [2] 280 mg/m³	HTP (OEL TWA) [2]	10 ppm		
BGW values are observed)	Germany - Occupational Exposure Limits (TRGS 90	0)		
values are observed)  Chemical category  Skin notation  Latvia - Occupational Exposure Limits  OEL TWA  5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m³  OEL chemical category  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  OEL TWA  OEL TWA  12 mg/m³  OEL TWA  OEL TWA  OEL TWA  OEL TEL  44 mg/m³  OEL STEL  OEL STEL  OEL STEL  OEL STEL [ppm]  10 ppm  OEL chemical category  Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1]  22 mg/m³ (aerosol, vapour)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [2]  5 ppm (aerosol, vapour)  OEL chemical category  Skin notation  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1]  140 mg/m³  HTP (OEL TWA) [2]  25 ppm  HTP (OEL STEL)  280 mg/m³	AGW (OEL TWA) [1]			
S mg/m²	AGW (OEL TWA) [2]			
S mg/m²	Chemical category	Skin notation		
Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  OEL chemical category  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  OEL TWA [ppm]  5 ppm  OEL STEL  44 mg/m³  OEL STEL [44 mg/m³  OEL STEL [ppm]  10 ppm  OEL chemical category  Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1]  22 mg/m² (aerosol, vapour)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [2]  5 ppm (aerosol, vapour)  OEL chemical category  Skin notation  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1]  140 mg/m²  HTP (OEL TWA) [2]  25 ppm  HTP (OEL STEL)  280 mg/m²	Latvia - Occupational Exposure Limits			
PRV (OEL TWA)   5 mg/m³     OEL chemical category   Skin notation	OEL TWA	5 mg/m³		
OEL chemical category  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  OEL TWA [ppm]  5 ppm  OEL STEL  44 mg/m³  OEL STEL [ppm]  OEL chemical category  Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1]  22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2]  5 ppm (aerosol, vapour)  OEL chemical category  Skin notation  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1]  140 mg/m³  HTP (OEL TWA) [2]  25 ppm  HTP (OEL STEL)  280 mg/m³	Lithuania - Occupational Exposure Limits			
Poland - Occupational Exposure Limits  NDS (OEL TWA)  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  OEL TWA [ppm]  5 ppm  OEL STEL  44 mg/m³  OEL STEL [ppm]  10 ppm  OEL chemical category  Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1]  22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2]  5 ppm (aerosol, vapour)  OEL chemical category  Skin notation  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1]  140 mg/m³  HTP (OEL TWA) [2]  25 ppm  HTP (OEL TWA) [2]  280 mg/m³	IPRV (OEL TWA)	5 mg/m³		
NDS (OEL TWA)   240 mg/m³	OEL chemical category	Skin notation		
Slovenia - Occupational Exposure Limits   22 mg/m³	Poland - Occupational Exposure Limits			
OEL TWA       22 mg/m³         OEL TWA [ppm]       5 ppm         OEL STEL       44 mg/m³         OEL STEL [ppm]       10 ppm         OEL chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits         MAK (OEL TWA) [1]       22 mg/m³ (aerosol, vapour)         MAK (OEL TWA) [2]       5 ppm (aerosol, vapour)         OEL chemical category       Skin notation         d-Limonene (5989-27-5)         Finland - Occupational Exposure Limits         HTP (OEL TWA) [1]       140 mg/m³         HTP (OEL TWA) [2]       25 ppm         HTP (OEL TWA) [2]       25 ppm         HTP (OEL STEL)       280 mg/m³	NDS (OEL TWA)	240 mg/m³		
OEL TWA [ppm] 5 ppm OEL STEL 44 mg/m³ OEL STEL [ppm] 10 ppm OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour) OEL chemical category Skin notation  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 140 mg/m³  HTP (OEL TWA) [2] 25 ppm  HTP (OEL STEL) 280 mg/m³	Slovenia - Occupational Exposure Limits			
OEL STEL       44 mg/m³         OEL STEL [ppm]       10 ppm         OEL chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits         MAK (OEL TWA) [1]       22 mg/m³ (aerosol, vapour)         MAK (OEL TWA) [2]       5 ppm (aerosol, vapour)         OEL chemical category       Skin notation         d-Limonene (5989-27-5)         Finland - Occupational Exposure Limits         HTP (OEL TWA) [1]       140 mg/m³         HTP (OEL TWA) [2]       25 ppm         HTP (OEL STEL)       280 mg/m³	OEL TWA	22 mg/m³		
OEL STEL [ppm] 10 ppm OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 140 mg/m³  HTP (OEL TWA) [2] 25 ppm  HTP (OEL STEL) 280 mg/m³	OEL TWA [ppm]	5 ppm		
OEL chemical category  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category  Skin notation  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 140 mg/m³  HTP (OEL TWA) [2] 25 ppm  HTP (OEL STEL) 280 mg/m³	OEL STEL	44 mg/m³		
Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 140 mg/m³  HTP (OEL TWA) [2] 25 ppm  HTP (OEL STEL) 280 mg/m³	OEL STEL [ppm]	10 ppm		
MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 140 mg/m³  HTP (OEL TWA) [2] 25 ppm  HTP (OEL STEL) 280 mg/m³	OEL chemical category	Potential for cutaneous absorption		
MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  d-Limonene (5989-27-5)  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 140 mg/m³  HTP (OEL TWA) [2] 25 ppm  HTP (OEL STEL) 280 mg/m³	Switzerland - Occupational Exposure Limits			
OEL chemical category         Skin notation           d-Limonene (5989-27-5)         Finland - Occupational Exposure Limits           HTP (OEL TWA) [1]         140 mg/m³           HTP (OEL TWA) [2]         25 ppm           HTP (OEL STEL)         280 mg/m³	MAK (OEL TWA) [1]	22 mg/m³ (aerosol, vapour)		
d-Limonene (5989-27-5)       Finland - Occupational Exposure Limits       HTP (OEL TWA) [1]     140 mg/m³       HTP (OEL TWA) [2]     25 ppm       HTP (OEL STEL)     280 mg/m³	MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)		
Finland - Occupational Exposure Limits           HTP (OEL TWA) [1]         140 mg/m³           HTP (OEL TWA) [2]         25 ppm           HTP (OEL STEL)         280 mg/m³	OEL chemical category	Skin notation		
HTP (OEL TWA) [1] 140 mg/m³  HTP (OEL TWA) [2] 25 ppm  HTP (OEL STEL) 280 mg/m³	d-Limonene (5989-27-5)			
HTP (OEL TWA) [2] 25 ppm HTP (OEL STEL) 280 mg/m³	Finland - Occupational Exposure Limits			
HTP (OEL STEL)  280 mg/m³	HTP (OEL TWA) [1] 140 mg/m³			
	HTP (OEL TWA) [2]	25 ppm		
HTP (OEL STEL) [ppm] 50 ppm	HTP (OEL STEL)	280 mg/m³		
	HTP (OEL STEL) [ppm]	50 ppm		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

d-Limonene (5989-27-5)			
Germany - Occupational Exposure Limits (TRGS 900)			
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Chemical category	Skin notation, Skin sensitization		
Slovenia - Occupational Exposure Limits			
OEL TWA	28 mg/m³		
OEL TWA [ppm]	5 ppm		
OEL STEL	112 mg/m³		
OEL STEL [ppm]	20 ppm		
OEL chemical category	Potential for cutaneous absorption		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	168 mg/m³		
VLA-ED (OEL TWA) [2]	30 ppm		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
OEL chemical category	Allergenic substance		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]	40 mg/m³		
MAK (OEL TWA) [2]	7 ppm		
KZGW (OEL STEL)	80 mg/m³		
KZGW (OEL STEL) [ppm]	14 ppm		
OEL chemical category	Sensitizer		
Citral (5392-40-5)			
Belgium - Occupational Exposure Limits			
OEL TWA	32 mg/m³ (vapor and aerosol)		
OEL TWA [ppm]	5 ppm (vapor and aerosol)		
OEL chemical category	Skin		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	5 ppm		
OEL STEL [ppm]	15 ppm (calculated)		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	27 mg/m³		
NDSCh (OEL STEL)	54 mg/m³		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citral (5392-40-5)			
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	5 ppm		
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure		
Spain - Occupational Exposure Limits	•		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer		
Benzaldehyde (100-52-7)			
Bulgaria - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	4.4 mg/m³		
HTP (OEL TWA) [2]	1 ppm		
HTP (OEL C)	17.4 mg/m³		
HTP (OEL C) [ppm]]	4 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	5 mg/m³		
CK (OEL STEL)	10 mg/m³		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	10 mg/m³		
NDSCh (OEL STEL)	40 mg/m³		

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

# 8.1.5. Control banding

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

## Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

light yellow. amber. Colour Odour characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : 66 °C Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

5/22/2023 (Issue date) EN (English) 8/17

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure: Not availableVapour pressure at  $50^{\circ}$ C: Not availableDensity: Not availableRelative density:  $\approx 0.93$ Relative vapour density at  $20^{\circ}$ C: Not availableParticle characteristics: Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon dioxide.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg	
LD50 oral	1620 mg/kg bodyweight	
LD50 dermal	2500 mg/kg bodyweight	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	
Vanillin (121-33-5)		
LD50 dermal rabbit > 5010 mg/kg		
LD50 dermal	2600 mg/kg bodyweight	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange oil (8008-57-9)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Citral (5392-40-5)	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
Aldehyde C-10 (112-31-2)	
LD50 oral rat	3730 mg/kg
LD50 dermal rabbit	5040 mg/kg
Citronella oil (8000-29-1)	
LD50 oral rat	7200 mg/kg
LD50 dermal	4230 mg/kg bodyweight
Benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg
LD50 dermal rabbit	> 1250 mg/kg
Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity :	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Not classified Not classified
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
STOT-single exposure : STOT-repeated exposure : Aspiration hazard :	Not classified Not classified Not classified May be fatal if swallowed and enters airways.
Orange oil (8008-57-9)	
Hydrocarbon	Yes

## 11.2. Information on other hazards

# 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

5/22/2023 (Issue date) EN (English) 10/17

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, long–term : Harmful to aquatic life with long lasting effects. (chronic)

(GIIIOIIIO)	
Benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Vanillin (121-33-5)	
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
Citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Aldehyde C-10 (112-31-2)	
LC50 - Fish [1]	1.45 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
Benzaldehyde (100-52-7)	
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

# 12.2. Persistence and degradability

MANDARINA Y VAINILLA #EU45956F	
Persistence and degradability	Not established.

# 12.3. Bioaccumulative potential

MANDARINA Y VAINILLA #EU45956F		
Bioaccumulative potential	Not established.	
Benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow) 1.05		
d-Limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2)		
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
Aldehyde C-10 (112-31-2)	
Partition coefficient n-octanol/water (Log Pow)	3.8 (at 35 °C)
Benzaldehyde (100-52-7)	
BCF - Fish [1]	(no significant bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecology - waste materials

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- HP3 "Flammable."
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
  - HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
  - HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
  - HP13 "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.
  - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.2. UN proper shippin	g name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard o	class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available					

## 14.6. Special precautions for user

### **Overland transport**

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

### Inland waterway transport

Not regulated

### Rail transport

Not regulated

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

# **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	d-Limonene ; Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	MANDARINA Y VAINILLA #EU45956F; Benzyl alcohol; d-Limonene; Orange oil; Citral; Linalool; Aldehyde C-10; Citronella oil; Benzaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	MANDARINA Y VAINILLA #EU45956F; d-Limonene ; Orange oil; Aldehyde C-10; Citronella oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	d-Limonene ; Orange oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

### France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Netherlands**

**ABM** category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed : None of the components are listed

: Orange oil ,Citronella oil are listed

: Orange oil ,Citronella oil are listed

: None of the components are listed

**Denmark** 

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

**Danish National Regulations** : Young people below the age of 18 years are not allowed to use the product

**Switzerland** 

Storage class (LK) : LK 6.1 - Toxic materials

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.